



Material Safety Data Sheet

According to EC Directive 2001/58/EC

Print date: 27-Jun-2007***

Revision Number: 4

Revision date: 20-Jun-2007

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the substance or preparation

MSDS Ref. No.: 2107.02.02
Product name: Peters Professional 15+11+29
Synonyms: Peters Professional 15+4.8+24.1

Use of the Substance/Preparation

Recommended use: Water soluble fertilizer.

Company/Undertaking Identification

• Scotts International BV
Nijverheidsweg 1-5
6422 PD Heerlen (NL)
Tel: ++31 (0) 45-5609100
Fax: ++31 (0) 45-5609190
• +44 (0)208 762 8322

Emergency telephone number:

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature of the preparation

Components	CAS-No	Weight %	EC-No.	Classification
Iron-DTPA	12389-75-2	1 - 5%	235-627-0	NE
Copper-EDTA	14025-15-1	< 1%	237-864-5	Xn;R22
Manganese-EDTA	15375-84-5	< 1%	239-407-5	NE
Sodium molybdate, Na ₂ MoO ₄ +2H ₂ O	7631-95-0	< 1%	231-298-2	NE
Potassium nitrate, KNO ₃ ***	7757-79-1	> 25%	231-818-8	O;R08

For the full text of the R phrases mentioned in this Section, see Section 16

3. HAZARDS IDENTIFICATION

3. HAZARDS IDENTIFICATION

Classification

The product is classified and labelled in accordance with Directive 1999/45/EC

O - Oxidizing

Most important hazards

Contact with combustible material may cause fire.

4. FIRST AID MEASURES

General advice:

Check the victim's state of consciousness, breathing and pulse; put in emergency position or revive.

Ingestion:

Possible symptoms are nausea and/or vomiting. Clean mouth with water and drink afterwards plenty of water. If a person vomits when lying on his back, place him in the recovery position. Do not induce vomiting without medical advice. Consult a physician if necessary.

Inhalation:

In the case of inhalation of aerosol/mist consult a physician if necessary. Possible symptoms are coughing and/or dyspnoea. If breathing is difficult, give oxygen. Move to fresh air.

Skin contact:

If skin irritation persists, call a physician.

Eye contact:

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Protection of first-aiders:

Avoid contact with eyes. Use personal protective equipment.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Coordinate fire extinguishing measures to fire in surrounding area.

Unsuitable extinguishing media:

Not applicable

Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases:

Danger of toxic gases in smoke in case of fire.

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Specific methods:

Dike and collect water used to fight fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment. Wear personal protective equipment.

Environmental precautions:

Prevent product from entering drains. Do not contaminate surface water.

Methods for cleaning up:

Shovel or sweep up. Do not create a powder cloud by using a brush or compressed air.

7. HANDLING AND STORAGE

Handling:**Technical measures/precautions:**

Provide appropriate exhaust ventilation at places where dust is formed.

Safe handling advice:

Avoid dust formation. Avoid contact with skin and eyes.

Storage:**Technical measures/storage conditions:**

Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well. Keep at temperatures between 0 °C and 40 °C .

Incompatible products:

Keep away from:
Flammable materials

Specific use(s):

Water soluble fertilizer.

**Packaging material:
VCI (Germany)**

Plastic bags
5.1B

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Ensure adequate ventilation.

Occupational exposure controls**Personal protective equipment****Respiratory protection:**

In case of insufficient ventilation wear suitable respiratory equipment.

Hand protection:

PVC or other plastic material gloves.

Eye/face protection:

Tightly fitting safety goggles.

Skin and body protection:

Not applicable.

Hygiene measures

Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs.

Exposure limit values**Environmental exposure controls**

Avoid dust formation.

Iron-DTPA

Belgium - 8 Hr VLE

1 mg/m³ TWA

Finland - Occupational Exposure Limits - 8 hour

1 mg/m³ TWA

Netherlands - OEL - MACs:	0.1 mg/m ³ MAC
Norway - 8 h:	1 mg/m ³ TWA
Portugal - TWAs	1 mg/m ³ TWA
Spain - Valores Limite Ambientales - VLE	1 mg/m ³ VLA-ED

Copper-EDTA

Austria - MAKs	0.1 mg/m ³ MAK
Finland - Occupational Exposure Limits - 8 hour	1 mg/m ³ TWA

Manganese-EDTA

Belgium - 8 Hr VLE	0.2 mg/m ³ TWA
Czech Republic OEL	Listed
Germany (DFG) - MAK	0.5 mg/m ³ MAK

Sodium molybdate, Na₂MoO₄+2H₂O

Austria - MAKs	5 mg/m ³ MAK
Belgium - 8 Hr VLE	5 mg/m ³ TWA
Czech Republic OEL	Listed
Finland - Occupational Exposure Limits - 8 hour	6 mg/m ³
France - Valeurs Limites d'exposition (VLE)	5 mg/m ³
France INRS (VME)	5 mg/m ³ VME
Netherlands - OEL - MACs:	5 mg/m ³ MAC
Norway - 8 h:	5 mg/m ³ TWA
Portugal - TWAs	0.5 mg/m ³ TWA
Spain - Valores Limite Ambientales - VLE	5 mg/m ³ VLA-ED
Sweden - OEL - 8 Hour	10 mg/m ³ LLV
	5 mg/m ³ LLV

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Physical State:	Solid
Appearance:	Powder
Color:	Off-white
Odor:	No information available

Important Health Safety and Environmental Information

Solubility:	Completely soluble
Water solubility:	+/- 30 - 45 kg/100L

Other information

Bulk density:	800 - 1100 kg/m ³
----------------------	------------------------------

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions.
Conditions to avoid:	Keep away from open flames, hot surfaces and sources of ignition. Burning produces obnoxious and toxic fumes.
Materials to avoid:	Combustible material.

Hazardous decomposition products:

No decomposition if stored normally
Thermal decomposition can lead to release of irritating gases and vapours

11. TOXICOLOGICAL INFORMATION

Component information*Copper-EDTA***LD50/oral/rat =** > 1000 mg/kg*Sodium molybdate, Na₂MoO₄+2H₂O***LD50/oral/rat =** 4000 mg/kg*Potassium nitrate, KNO₃***LD50/oral/rat =** 3750mg/kg**Product information****Local effects****Skin effects:**

May cause skin irritation in susceptible persons

Eye effects:

May cause eye irritation with susceptible persons

Inhalation:

May cause sensitization by inhalation

Ingestion:

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea

12. ECOLOGICAL INFORMATION

Product information**Water Endangering Class (WGK):** 1 (Scotts classification)**Component information***Sodium molybdate, Na₂MoO₄+2H₂O***Ecotoxicity effects**

LC50/96h/rainbow trout => 2800 g/l

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods:

Use up product completely. Packaging material is industrial waste

Contaminated packaging:

Empty containers can be landfilled, when in compliance with the local regulations

14. TRANSPORT INFORMATION

Product information

Physical State: Solid

ADR/RID

UN-No: 1479
Proper shipping name: Oxidizing solid, N.O.S..
Hazard Class: 5.1
Packing group: PG III
Description: Potassiumnitrate

IATA

UN-No: N.A.

IMO / IMDG

UN-No: 1479
Proper shipping name: Oxidizing solid, N.O.S..
Hazard Class: 5.1
Packing group: PG III
Description: Potassiumnitrate



15. REGULATORY INFORMATION

Indication of danger:

O - Oxidizing.



R -phrase(s)

R 8 - Contact with combustible material may cause fire.

ICPE (FR): Classified installation : article 1230

16. OTHER INFORMATION

Text of R Phrases mentioned in Section 2

R 8 - Contact with combustible material may cause fire.

R22 - Harmful if swallowed.

Reason for revision:

*** Indicates changes since the last revision. This version replaces all previous versions

Prepared by:

Regulatory Affairs Department.

This information contained herein is, to the best of Scott's knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Scotts shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Scotts shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product

End of Safety Data Sheet